

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For March - March 05, 2019



MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR MARCH - Tuesday, March 05, 2019

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 11, 2019

Proposals must be purchased online at:

https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division

Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop

Jackson, MS


Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 05, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR MARCH

| | CALL | CONTRACT | COUNTY |
|---|------|---------------------------|------------|
| * | 01 | IM-0059-03(095)/107299301 | LAUDERDALE |
| * | 02 | IM-0069-00(034)/107576301 | DESOTO |

^{*} No plans except Standard Drawings



Mill & Overlay approximately 6 miles of I-59 from 65th Avenue bridge to US 45, known as Federal Aid Project No. IM-0059-03(095) / 107299301 in Lauderdale County.

PROJECT COMPLETION: 182 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

| 1,565 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
|---------|-------------|----------|--|
| 82 | Square Yard | 202-B062 | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths |
| 2,647 | Linear Feet | 202-B147 | Removal of Guard Rail Double Faced Rail Including Rail & Posts |
| 16,793 | Linear Feet | 202-B150 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 1 | Each | 202-B162 | Removal of Impact Attenuator |
| 1,389 | Linear Feet | 202-B169 | Removal of Joint Material |
| 335 | Square Feet | 202-B172 | Removal of Legend, All Types |
| 33,927 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 607 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 280 | Square Yard | 203-1002 | Site Grading |
| 227 | Acre | 223-A001 | Mowing |
| 2,006 | Cubic Yard | 304-A004 | Granular Material, LVM, Class 5, Group C |
| 10,954 | Ton | 402-A002 | Open Graded Friction Course, 9.5-mm Mixture |
| 23,377 | Gallon | 402-B001 | Bituminous Tack Coat |
| 2,078 | Ton | 403-A004 | 19-mm, HT, Asphalt Pavement |
| 2,945 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 26,088 | Ton | 403-D007 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified |
| 70,738 | Linear Feet | 403-S002 | Joint Sealant |
| 20,010 | Ton | 405-A002 | Stone Matrix Asphalt, 9.5 mm Mixture |
| 662 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 580,807 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 58,093 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 1,356 | Linear Feet | 413-D003 | Cleaning and Filling Joints in PCC Pavement |
| 8,164 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |

| 14 | Mile | 423-A001 | Rumble Strips, Ground In |
|--------|-------------|-----------|---|
| 34 | Square Yard | 503-A001 | 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish |
| 48 | Square Yard | 503-A002 | 8" and Variable Jointed Concrete Pavement |
| 62 | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints |
| 24 | Linear Feet | 503-C004 | Saw Cut, 3-inch |
| 2,542 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 5 | Cubic Yard | 503-D001 | Concrete for Base Repair |
| 102 | Each | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 720 | Each | 512-A001 | Holes |
| 11,280 | Pounds | 512-B002 | Cement Pressure Grout Slurry, Type 6 |
| 1 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 150 | Pounds | 602-A001 | Reinforcing Steel |
| 14,050 | Linear Feet | 606-B003 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 2,713 | Linear Feet | 606-B007 | Guard Rail, Class A, Type 1, Double Faced, Metal Post |
| 169 | Linear Feet | 606-B011 | Guard Rail, Class A, Type 1, Thrie Beam, Metal Post |
| 2 | Linear Feet | 606-B013 | Guard Rail, Class A, Type 1, Thrie Beam, Transition Section |
| 27 | Each | 606-C001 | Guard Rail, Cable Anchor Type 1, Metal Post |
| 9 | Each | 606-D005 | Guard Rail, Bridge End Section, Type A |
| 35 | Each | 606-D012 | Guard Rail, Bridge End Section, Type D Modified |
| 42 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 1 | Each | 606-E003 | Guard Rail, Terminal End Section, Double Faced |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 59 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 60 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 54 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 70,989 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 2,526 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 5,292 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 6,775 | Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| 32 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |

| 992 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
|--------|-------------|-----------|--|
| 1,730 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 1,233 | Each | 619-F3004 | Delineators, Median Barrier Mounted, Yellow |
| 65 | Each | 619-F5001 | Snap-Back Delineator, Replacement |
| 66 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 1 | Each | 619-J1004 | Impact Attenuator, 60 MPH |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 22 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 32 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 2,996 | Linear Feet | 626-D002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 12 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 21 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 56,939 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 12,938 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 2,526 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 5,292 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 6,775 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 2,278 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 199 | Each | 630-F004 | Delineators, Guard Rail, Double White |
| 383 | Each | 630-F006 | Delineators, Guard Rail, White |
| 73 | Each | 630-F007 | Delineators, Guard Rail, Yellow |
| 479 | Each | 630-F010 | Delineators, Post Mounted, Double White |
| 86 | Each | 630-F011 | Delineators, Post Mounted, Double Yellow |
| 313 | Each | 630-F012 | Delineators, Post Mounted, Single White |
| 261 | Each | 630-F013 | Delineators, Post Mounted, Single Yellow |
| 15 | Each | 630-G003 | Type 3 Object Markers, OM-3L, Post Mounted |
| 30 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 1 | Lump Sum | 647-A001 | Removal of Existing Traffic Signal Equipment |
| 600 | Linear Feet | 682-A028 | Underground Branch Circuit, AWG 4, 3 Conductor |
| 3 | Each | 682-D003 | Underground Pull Box |
| | | | |

| 2 | Each | 907-619-E3001 | Changeable Message Sign |
|---------------------|-------------------------------------|--|---|
| 9 | Each | 907-632-D001 | Solid State Traffic Actuated Controller, Type 1 |
| 35 | Each | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2 |
| 4,350 | Linear Feet | 907-641-D001 | Radar Vehicle Detection Cable |
| 1 | Each | 907-687-A001 | Traffic Recorder Classification Permanent System |
| 1 | Lump Sum | 907-899-A001 | Railway-Highway Provisions |
| 720 | Hours | 907-906001 | Trainees |
| | | | Duiden House |
| | | | Bridge Items |
| 1,153 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| , | Linear Feet | | • |
| 236 | | 907-823-A002 | Preformed Joint Seal, Type I |
| 236 2,305 | Linear Feet | 907-823-A002 907-823-B001 | Preformed Joint Seal, Type I Preformed Joint Seal, Type II |
| 236 2,305 472 | Linear Feet Linear Feet | 907-823-A002 907-823-B001 907-823-B002 | Preformed Joint Seal, Type I Preformed Joint Seal, Type II Saw Cut, Type I |
| 236 2,305 472 | Linear Feet Linear Feet Linear Feet | 907-823-A002 907-823-B001 907-823-B002 | Preformed Joint Seal, Type I Preformed Joint Seal, Type II Saw Cut, Type I Saw Cut, Type II Bridge Repair, Median Wall Repair |

Mill & Overlay approximately 3 miles of I-69 from 0.5 miles South of Church Road to beginning of concrete section, known as Federal Aid Project No. IM-0069-00(034) / 107576301 in Desoto County.

PROJECT COMPLETION: 127 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

| | | | Roadway Items |
|---------|-------------|-----------|--|
| 757 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 757 | Square Yard | 202-B069 | Removal of Concrete Pavement w/ Variable Depth Overlay |
| 1 | Each | 202-B152 | Removal of Guard Rail Terminal End Section |
| 28 | Linear Feet | 202-B169 | Removal of Joint Material |
| 5,400 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 250 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 3,910 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 4,450 | Ton | 402-A002 | Open Graded Friction Course, 9.5-mm Mixture |
| 11,000 | Gallon | 402-B001 | Bituminous Tack Coat |
| 1,575 | Ton | 403-A004 | 19-mm, HT, Asphalt Pavement |
| 3,175 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 4,370 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 5 | Mile | 403-S001 | Joint Sealant |
| 6,450 | Ton | 405-A002 | Stone Matrix Asphalt, 9.5 mm Mixture |
| 153,100 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 250 | Square Yard | 406-E002 | Fine Milling of Concrete Pavement, All Depths |
| 15,100 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 10 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 20 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 20 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 16 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 102,415 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 50 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |

| 320 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
|--------|-------------|---------------|--|
| 48 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 36 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 6 | Mile | 626-A001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 7 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 7 | Mile | 626-F001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 12,660 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 23,200 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 450 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 1,226 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 6,037 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 6 | Each | 630-F006 | Delineators, Guard Rail, White |
| 56 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 56 | Linear Feet | 907-823-B001 | Saw Cut, Type I |
| 1 | Lump Sum | 907-824-PP004 | Bridge Repair, Endwall |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 725 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 725 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 725 | Ton | 304-F003 | Size 825B Crushed Stone Base |
| | | | |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at http://shopmdot.ms.gov at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at http://bidx.com. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online at http://shopmdot.ms.gov at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E. EXECUTIVE DIRECTOR